



ERGTM
ERGOBOND

2021

|

2022

We value creative people and the way they work. This is at the core of everything we design and produce.

Product Catalog

Workspace Adapted to You

Content

Products	8
Snap / Eigen Tech	10
Original Snap™	14
Original Eigen™	18
Classic™ 3 Stages	22
Tri-Classic™ 3 Stages	26
Wallace™	28
Hopi™	36
Hice™	40
FitDesk® Pro	48
TV Cart Eigen™	52
Alders™	56
Fence™	60
ERGOHUB™	66
Terms of Sale	72




Design with Emotion and Motion

At ERGOBOND, we embrace the challenge of redesigning the workplace and designing a space that truly adapts to individuals that evolve along with the ideas of people. We find intuitive ways to create spaces that evoke emotions. We look beyond the walls and understand the positive impact we can make with our furniture. It's a craft of creating for creators. The diversity of people and the work they do inspired us to create adaptable spaces. Creating a space that evokes emotions allows positive messages to be transmitted even before our minds can respond with language.

Commitment to humanity

We, as humans, are active and creative by nature, yet for some reason, the same spaces where we create were not built to fit our dynamic nature. ERGOBOND's focus is to refresh and adapt areas within workspaces that need a touch of innovation to improve people's lives. How can we make it more comfortable? How can we bring some motion? Can this have more than one function? Can it be safer or easier? Does it convey the right feelings? These are questions we strive to answer every day when designing our products. We spend years researching the answers until our designs have been perfected. This determination is what makes us unique, now and into the future.



Our designs encourage the marriage of functionality and movement, bringing back the synergy between technology and design.





Technology and Design

As technology has enabled us to create more effectively and efficiently, companies started to focus more on functional wholeness rather than artistic design. Our goal at ERGOBOND is to bring back the synergy between technology and design. We believe that functionality does not need to come at the sacrifice of beautiful design. We believe that beauty creates connections and humanizes the spaces that surround us. That is why, at ERGOBOND, we embrace this duality and turn it to our advantage. We want to fully embrace the benefits that have been brought to us by technological advancements and use those advancements to improve our working environments in an artistic way.

Desks



Original Snap™
Pneumatic Height-Adjustable Desk

Model: 9120
(Base Only)



Original Eigen™
Electric Height-Adjustable Desk

Model: 9140
(Base Only)



Classic™
Electric Height-Adjustable Desk

Model: 9230
(Base Only)



Tri-Classic™
Electric Height-Adjustable Desk

Model: 9330
(Base Only)

Tables



Wallace™
Standing Conference Table

Model: 9062
Power Strip Included
(Base Only)



Wallace™
Electric Height-Adjustable Conference Table

Model: 9237
LED Controller Included
(Base Only)



Hopi™
Occasional Table

Model: 9107

Seating



Hice™
Next-Level Adjustment

Model: 9681-H



Hice™
Next-Level Adjustment

Model: 9681-L

Dynamic



FitDesk® Pro
Pneumatic Height-Adjustable Biking Desk

Model: 4160

Support Accessories



TV Cart Eigen™
Electric Height-Adjustable TV Cart

Model: 3010
LED Controller Included



Alders™
Acoustical Whiteboard Divider

Model: 9741



Fence™
Multiform Noise-Absorbing
Privacy Modesty Screen

Model: 9711-S, 9711-L



ERGOHUB™
Upgrade Your Standing Desk

Model: ERHUB1019



EIGEN &

& SNAP

Redesigned Technology

We love challenges. When we heard people refused to use height-adjustable desks because they had to sacrifice silence, safety, and aesthetics, we redesigned technology to make them silent, safe, and beautiful.



Power& Safety

Our Eigen motors are UL certified and have passed the world's leading safety standards.



Silence

We understand that the last thing your noisy office needs is a loud mechanical motor sound. A silent motor that keeps noise to a minimum ensures that neither you nor your colleagues need to compromise health or a peaceful environment.


EigenTM Tech


[Electric]



Smart Cable and Motor

When you install the column out of the box, it is in one piece with no hanging cables or motors. The power cable is wired seamlessly to the legs of all our bases.





SnapTM Tech

[pneumatic]



Stability

We've worked hard to ensure the power from our gas springs is evenly distributed. This requires an exceptionally high standard of engineering and precision.

New molding techniques were created to embody the gas springs and neatly fit them into the SNAP housing while creating an equally distributed balance. The control assures powerful lift without tilting or unsteady movements.

One of the challenges of manual height adjustment comes down to the friction of your moving parts. One solution caught our attention - trains. Trains are loaded with heavy cargos, travelling at very high speed, yet they can travel at speed without losing stability.



Proportional Strength

Equality of strength is difficult when you have a single column, so hundreds of experiments were completed until we found the perfect formula.

We designed the perfect equilibrium where users do not need to apply strength to raise or lower the surface smoothly. SNAP is so smooth, users oftentimes think it's electric.




Original SnapTM


Pneumatic Height-Adjustable Desk

Introducing SnapTM Tech

Reinventing the way a desk should be. SnapTM Tech is even smoother and stronger.



Adjustable Height



Specifications

Height Adjustment	28.9"-46.6" (17.7" range) *Height without work surface
Compatible Work Surface Size	60" x 30" (±2") We recommend pairing it with our powder coated work surface for best experience
Footprint	26.7" x 46.5"
Without Lift Assist / Weight Capacity	33 lbs / 220 lbs
Power	Non-Electric
Adjustment Speed	Faster than most electric motors
Noise Control	Less than any electric adjustment
Highlights	<ul style="list-style-type: none">• Quick Assemble (The column, base and top comes pre-fitted).• Snap™ Technology



Model		Base		Color		Gas Spring
9120	—	01	—	WH	—	M

Custom Selection

Model Code 9120

Base Code

01	02	03
	Custom	Custom

Color Code

BL	WH	SL
Black	White	Silver




Original EigenTM


Electric Height-Adjustable Desk

Your Desk. Enhanced.

Original EigenTM takes on our signature design with a powerful motor for those looking to get more things done without sacrificing their health and wellness.



Adjustable Height



Specifications

Height Adjustment*	29"-46.7" (17.7" range)
Compatible Work Surface Size	48"-60" x 28"-30"
Footprint	27.6" x 23.4"
Without Lift Assist / Weight Capacity	132 lbs / 220 lbs
Power	58W UL Approved Motor
Adjustment Speed	As fast as 1" per second
Noise Control	45 dB
Highlights	<ul style="list-style-type: none">• Quick Assemble (The column, base and top come pre-fitted)• Eigen™Technology

LED Control Included






- 3 Memory Slots
- USB Charging
- LED Display

*Height without work surface



Model		Base		Color
9140	—	01	—	WH

Custom Selection

Model Code	9140
Base Code	01 02 03
	Custom Custom
	  
Color Code	BL WH SL
	Black White Silver
	Custom

Classic TM 8

Electric Height-Adjustable Desk







& Tri-ClassicTM

Traditional Design, Smooth Movements

Easily improve your workstyle and boost your wellness while keeping a classic look. This frame comes with all you need—just choose the table top that matches you best.



Adjustable Height



Specifications

Height Adjustment	20.9"-47.0" (26.1" range)
Compatible Work Surface Size	47.2"-74.8" x 23.6"-35.4"
Extendable Frame Size	43.3"-70.9"
Footprint	29.5" x 43.3"-29.5" x 70.9"
Weight Capacity	264lbs
Power	<ul style="list-style-type: none">• Electric UL Approved Dual Motor• Consumes less than 4A/128 Watts (0.3 W when not in use)
Adjustment Speed	1.42" per second
Noise Control	45 dB (with work surface)
Leg Stages	Three Stages
Highlights	<ul style="list-style-type: none">• Meets or exceeds BIFMA x5.5 Standards• Extendable Frame

LED Control Included



- 3 Memory Positions
- LED Height Display (cm/inches)
- Intuitive and Easy to Use



Model — Stages — Color

9230	—	S3	—	WH
-------------	---	-----------	---	-----------

Model Selection

Color Code


BL	WH	SL
Black	White	Silver

Model Code

9230

Stages Code

S3



Specifications

Height Adjustment	20.7"-46.7"
Compatible Work Surface Size	51.2"-70.9" x 23.6"-27.6" 63.0"-94.5" x 31.5"-35.4"
Extendable Frame Size	31.5"-47.2" / 43.3"-70.9"
Footprint	68.3" x 68.3" x 29.5"
Weight Capacity	264lbs
Power	<ul style="list-style-type: none">• Three Electric UL Approved Motor• Consumes less than 4A/128 Watts (0.3 W when not in used)
Adjustment Speed	1.12" per second
Noise Control	45 dB (with work surface)
Leg Stages	Three Stages
Highlights	<ul style="list-style-type: none">• Meets or exceeds BIFMA x5.5Standards• Three legs that allow you to set any angle between 90° and 180°• Extendable Frame

LED Control Included



- 3 Memory Positions
- LED Height Display (cm/inches)
- Intuitive and Easy to Use



Model Stages Color
9330 — **S3** — **WH**

Model Selection

Color Code

BL	WH	SL
Black	White	Silver

Model Code **9330**

Stages Code **S3**

WallaceTM


Standing-Height Conference Table

Engaging Teams


Bring the energy of collaboration to work. The raised height of Wallace supports our natural movements for those standing or using stools. The power strip provides centralized energy to make sure the entire team is charged.







Adjustable Height



Fixed 40.6"

Specifications

Fix Height	40.6"
Compatible Work Surface Size	74.8"-94.5" x 23.6"-35.4"
Weight Capacity	264lbs
Integrated Power Strip	<ul style="list-style-type: none">• 3 Outlets• 2 UBS Ports

Highlights	<ul style="list-style-type: none">• Foot rail adds extra comfort for those seated• Integrated Power Strip Included
-------------------	---



Model Frame Color Foot Ring Color
9062 — **WH** — **SBU**

Model Selection

Foot Ring Color Code

SBU	RE	GY
Sea Blue	Red	Gray

Model Code **9062**

WallaceTM


Electric Height-Adjustable Conference Table

Inviting Collaboration


Conference desks that are as dynamic as your team. The simple height adjustment allows smooth transitions from one idea to another.







Adjustable Height



Specifications

Height Adjustment	23.5"-47.7" (24.2" range)
Compatible Work Surface Size	74.8"-94.5" x 23.6"-35.4"
Weight Capacity	265lbs
Power	Electric UL Approved Dual Motor
Adjustment Speed	1.42" per second
Noise Control	42 dB
Leg Stages	Three Stages

LED Control Included



- 3 Memory Positions
- LED Height Display (cm/inches)
- Intuitive and Easy to Use



Model		Frame Color		Foot Ring Color
9237	—	WH	—	GY

Model Selection

Foot Ring Color Code

SBU	RE	GY
Sea Blue	Red	Gray

Model Code	9237
------------	------




Hopi™

Occasional Table


Side Power

Hopi belongs in lounges, meeting rooms, and other public spaces, ensuring that power is available everywhere for your team and guests.





Height



Specifications

Height	H1 (Sitting) 29.1” H2 (Standing) 41.3”
Work Surface Included	Powder Coated 31.4” x 30.9”
Weight Capacity	176lbs
Integrated Power Strip	<ul style="list-style-type: none">• 3 Outlets• 2 USB Ports
Highlights	<ul style="list-style-type: none">• Integrated Power Strip Included• Available in Sitting Height or Standing Height• Powder Coated Work Surface Included



Model		Hight		Color
9107	—	H1	—	WH

Model Selection

Model Code 9107

Height Code H1 H2



Fixed 29.1"



Fixed 41.3"

HiceTM


Next-Level Adjustment

Instant Comfort

Ergonomically blended to you and beautifully crafted to your workspace. A timeless design that morphs into the demands of your body.





Feel The Design




Feel your back

Feel your back suspended in as it adapts to you. Tensility adjustment morphs based on your seating position to give you natural lumbar support without the need for additional adjustment.



Feel The Suspense

The high tension nylon mesh keeps you fresh all day. Ventilation never stops thanks to the gap kept between you and the frame, at the same time providing a dynamic support from back to bottom.




Simultaneous Adjustment

Instant adjustment determined by your body pressure. Support is based on the link between three automatic nodes that interact with each other. Let the ergonomics be done automatically by science. You just need to sit and enjoy.


Choose Your Back

Two heights that fits any need. High back for a full day executive comfort or low height for a discrete setup. Ideal pair of main chair and guest chair.





Height



Specifications

Height	Top to Bottom: 46.3" - 49.6"(3.3" range) Floor to Seat: 17.3" - 20.6"(3.3" range)
Seat Size	16.5" x 19.3"
Footprint	23.2" x 25.8"
Base Dimension	23.2" x 25.8"
Weight Capacity	330 lbs (150 kgs)
Highlights	<ul style="list-style-type: none">• High-Tension Nylon Mesh• Semi-Auto Adjustment



Model

9681-H

Color

AQ

Model Selection

Model Code

9681-H


Color Code

AQ


Aqua

BL

Black



Height



Specifications

Height	Top to Bottom: 37.0" - 40.3"(3.3" range) Floor to Seat: 17.3" - 20.6"(3.3" range)
Seat Size	19.5" x 16.5"
Footprint	23.4" x 25.8"
Base Dimension	23.2" x 25.8"
Weight Capacity	330 lbs (150 kgs)
Highlights	<ul style="list-style-type: none">• High-Tension Nylon Mesh• Semi-Auto Adjustment



Model

9681-L

Color

AQ

Model Selection

Model Code 9681-L

Color Code

AQ

Aqua

BL

Black




FitDesk® Pro


Pneumatic Height-Adjustable Biking Desk

Unveiling a new way to work

FitDesk® and ERGOBOND collaborated on the FitDesk Pro, creating the quiet and reliable, high-velocity flywheel bike and ERGOBOND's signature height-adjustable desk with SNAP Technology.



Adjustable Height



Desk: Minimum 30.2"
Bike: Minimum 29.9"

Maximum 34.1"
Maximum 47.6"

Desk Specifications

Height Adjustment	29.9"-47.6" (17.7" range)
Footprint	46" x 53"
Work Surface Included	Powder Coated Work Surface 47.2" x 29.6"
Power	Non-Electric
Without Lift Assist / Weight Capacity	33lbs / 220 lbs
Adjustment Speed	Faster than most electric motors
Noise Control	Less than any electric adjustment

Bike Specifications

Bike Top to Bottom Height	45.0"-48.9" (3.9" range)
Bike Seat Height	30.2"-34.1" (3.9" range)
Bike Size and Adjustments	(35.4"-37.2") x 25.4" x (44.1"-47.8")
Bike Weight Capacity	245lbs
Highlights	<ul style="list-style-type: none">• 3 in 1 (Sit, Stand or Bike)• Powder Coated Work Surface, Cable Management and Bike Included• Snap™ Technology



Model

4160

Model Selection

Model Code


4160




TV Cart EigenTM

Screen it where you need it

Designed with flexible workspace in mind. The perfect accessory to add into your dynamic spaces.



Adjustable Height



Specifications

TV Cart Height*	42.2"-59.1" (16.9" range)
TV Size	Up to 75"
Footprint	43.3" x 31.4"
VESA Compatibility	600 x 400 / 400 x 400
Weight Limit	175 lbs
Base Size	43.3" x 31.4"
Power	<ul style="list-style-type: none">• 58W• Single Motor Eigen™ UL Approved Motor
Noise Control	45dB
Rotations	Four Heavy Duty 3" (75mm) Caster Wheels with Break Included

LED Control Included



- 3 Memory Positions
- LED Height Display (cm/inches)
- Intuitive and Easy to Use
- USB Charging
- Eigen™ Technology

*Height from the center of the brackets






Model		Base		Color
3010	—	01	—	WH

Custom Selection

Model Code 3010

Base Code

01	02	03
	Custom	Custom
		

Color Code

BL	WH	SL
Black	White	Silver




AldersTM


Acoustical Whiteboard Divider

**Noise-Absorbing | Magnetic | Writable |
Tackable | Space Division**

5 in 1 accessory for every workspace. Instantly creates a creative and private environment for any workspace.



Whiteboard Dimension



Specifications

Whiteboard Dimension

64" (H) x 47.6" (W) x 23.6" (D)

Materials

- 0.16" Magnetic Glass Whiteboard
- 1.42" Covered PET (Recycled Polyester)

Rotations

2.2" Caster Wheels with Break Included

Extras

- Noise absorbing recycled polyester
- Magnetic Glass Whiteboard
- Tackable PET Board
- Space Divider



Model

9741

Color

18

Custom Selection

Model Code

9741

Color Code

18

Gray

Standard

01

Beige

Custom

14

Light
Denim Blue

Custom

15

Denim Blue

Custom

16

Outerspace

Custom

25

Lime

Custom

23

Orange

Custom



FenceTM

Multiform Noise-Absorbing Privacy Modesty Screen

Dynamic Privacy and Protection


Fence adapts to the changes of any workspace. Choose between full coverage, front coverage, or side coverage as needed.





Adaptable Coverage


Every person works differently and every office design is different. Sometimes workspace and privacy may vary, depending on the way coworkers interact with each other and may require a change. Fence™ adapts to those changes. Choose between full coverage, front coverage, or side coverage as needed. The panels can also be flipped around to provide higher coverage.



Universal Desk Size Compatibility

The partition comes in sets of 12 or 18 inches wide, allowing nearly universal compatibility. The combination between these two sizes can adapt to many desks sizes, including 24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84 inches wide or more.





Zero Punching


The screens can attach to the work surface without alternating or punching the desks, allowing full setup flexibility. The screens can be used and reused as needed and are compatible with most work surface thickness.



Noise-Absorbing PET

Fence is made of 100% Recycled, Eco-Friendly, Polyester Fiber (PET). In addition to providing a layer of aesthetic protection, it offers a noise-absorbing benefit.

Size



Specifications

Dimensions	Size S: 12" x 30" / Size L: 18" x 30"
Thickens	0.7"
Compatible with work surfaces sizes	24, 30, 36, 42, 48, 54, 60, 66, 72, 78, 84 inches, or more.
Coverage	Choose between full coverage, front coverage, or side coverage.
Other features	<ul style="list-style-type: none">• Modesty or Privacy Mode• Noise-absorbing PET material• Compatible with our accessories kit• Made of 100% Recycled, Eco-Friendly, Polyester Fiber (PET)• Zero damage and punch-free attachment to the work surface



Model

9711-S

Color

18

Custom Selection

Model Code 9711-S

Color Code

Beige

Gray

Blue

Light Green

Forest Green

Common custom colors

*Other custom colors available, please contact your local rep.





ERGOHUBTM

Upgrade Your Standing Desk

Bring Wellness To Your Workspace





Get the best out of your height-adjustable desk.



Provide The Tools to Help Everyone Adopt Healthier Habits

Companies invested thousands of dollars in providing ergonomic workstations for their employees to improve their working conditions and overall wellness. However, many employees reported the lack of usage because they forgot to use it and found it challenging to build the habit of standing up even if they knew it was good for them.

ERGOHUB solves this problem, reducing the hours of sedentary work, helping them build and keep a healthier sit/stand habit, maximizing companies' investments in employee wellness.




Universally Compatible with Any Desk

Easily attach it to any desk for commercial or home office. The installation requires no tools and does not damage the work surface. Works immediately regardless of the type of desk. Instantly reduce the hours of uninterrupted sedentary work, which often leads to fatigue and reduced productivity.

ERGO Smart Desk App

with ERGOBOND™




Visualize and Understand Your Progress

Our app empowers you to stay healthy during your workday. View your standing and sitting time daily, weekly, and monthly. Set up custom reminders and goals or choose from one of the guided programs.



Bringing Standing Desks Back to Life

Reminders to stand can prevent back pain and neck pain from occurring. Alternating between standing and sitting can help you burn more calories, prevent blood sugar spikes, and decrease your risk of heart disease. Furthermore, many people report feeling more creative when moving around during the work day.



Specifications

Dimension	94.19 x 80 x 21 (mm)
Occupancy Detection	Two ultra-low power IR modules
Desk Height Detection	High performance time-of-flight module
Wi-Fi	802.11 b/g/n 2.4 GHZ
Bluetooth	5.0
Requirements	ERGOHUB requires a stable Wi-Fi connection. iOS (iPhone or ipad) device with Bluetooth 4.0 or above. Download of the ERGO app and accept Terms of Service.
USB Power	Two ultra-low power IR modules
Compatibility	60-77°F (16-25°C)
Recommended Ambient Temperature	ERGOHUB is compatible with almost any height-adjustable desk with a recommended minimum work surface length of 31.5”(80 cm) and requires a flat surface under the desktop to attach to, using the included 3M adhesive.



Model

ERHUB1019

Model Selection

Model Code

ERHUB1019

Terms of Sale

Order and Payment Details

1.Geographic coverage:

48 continuous states and DC

2.International Orders:

Please contact your sale representative as these sales terms listed here are only for purchases within the USA.

3.Discount from list:

Contact your local sales representative for discounts.

4.Minimum Quantity:

No minimum quantity for standard models.

5.Payment terms:

Upon approved credit, terms of payment are net 30 days from date of shipment. All orders are invoiced at time of shipment. Deposits of 50% of the total will be required for custom orders and those without previous credit approval (first order).

Late payments are charged a 1.5% late charge on unpaid balances, which is applied monthly until balance is paid in full, or the highest rate permitted by law plus all collection costs, including reasonable attorney's fees and expenses.

6.Payment Method:

Wire Transfer (default)
For other methods please ask your representative.

7.Expected time of delivery

In stock orders 3-6 weeks after received order (ARO)

Custom orders 6-14 weeks ARO

*More accurate dates given after order placement and varies according to inventory availability.

8.Delivery Cost:

Pre-paid freight is included in commercial list price. Residential shipping charge is \$150.00.

9.Expedited Delivery:

Not available

10.Custom delivery requirements:

Please contact ERGOBOND personnel.

11.Payment address:

2051 JUNCTION AVE STE 228, SAN JOSE, CA 95131

12.Warranty Provision:

See Warranty Terms

13>Returns:

No returns of goods will be accepted without written consent and shipping instructions from ERGOBOND, and the customer will be required to pay all return freight charges. A restocking fee of 30% net is applied to all authorized returns provided ERGOBOND receives goods in the condition in which they left the factory.

No credit will be given if goods cannot be reused.

14.Cancellations:

Purchase orders may not be changed or canceled, in whole or part, without prior written consent of ERGOBOND. Changes or revisions must be clearly indicated on the new PO and may affect delivery dates. Expenses incurred because of changes will be charged to the customer. In the event of cancellations, the customer will be liable for reasonable cancellation charges established by ERGOBOND. Orders for customized products may not be canceled. All custom orders are final and non-refundable.

15.Federal Tax ID:

82-2062156

16.Order Placement

Please email your PO to ERGOBOND sales (sales@ergobond.com) with the following details:

- PO issued to :
2051 JUNCTION AVE STE 228, SAN JOSE, CA 95131, CA 95131
- Order Date
- Ship to: complete legal name, address, contact name, contact phone number.
- Authorized purchasing agent signature
- Sales Agent Number (if applicable)
- Total order including item, description, quantity, list and net price, extended price, any additional service or fees.

17.Wire Transfer Information:

- Bank Name : BANK OF AMERICA, N.A
- Account Name : XINADDA INC
- Account Number : 3250 9250 6284
- Bank SWIFT Code : BOFAUS3N
- ACH Routing Number : 121000358



Delivery Information

Within the Continental USA, all orders are shipped from ERGOBOND's warehouse.

An anticipated shipping date will be indicated in the order confirmation. ERGOBOND is not responsible for shipping delays caused by outside sources, third-parties, or unforeseen problems. Delay in shipment caused or requested by the customer can only be approved by ERGOBOND and any resulting charges in transportation or storage will be charged to the customer.

ERGObOND is not liable for any delay, loss, damage or failure to deliver or perform due to strikes, lock-outs, or other labor or transportation difficulties, delay of supplies, accidents, fires or any event beyond the control of ERGOBOND.

ERGObOND might ship the orders once it's entirely complete or by parts.

ERGObOND reserves the right to extend the date of delivery or time of completion by a period necessary to overcome the delay in a manner it deems reasonable or cancel any purchase order.

LIABILITY

ERGObOND is responsible for all packaging and rigid quality control and inspection before shipment. ERGOBOND's liability therefore cease at the time of shipment arrival when it is FOB destination otherwise it ceases as stated on the terms.

FILING OF CLAIMS

Claims can be placed by emailing your representative.

Claims must be placed within 10 days after receipt of merchandise. Do not return damaged merchandise to ERGOBOND unless otherwise requested. ERGOBOND will file back the steps after revising the claims.

FOR VISIBLE DAMAGE

1. Record the damages in wording notation and pictures if possible, on the delivery receipt and have the driver and reception person sign. Please don't reject or refuse the shipment.

2. Contact ERGOBOND immediately

3. Keep all damaged carton and interior of the packaging for inspection. These will be required when filing the claim.

FOR CONCEALED DAMAGES

1. Open the carton within 10 days of receipt and inspect

2. Contact ERGOBOND immediately

3. Keep all damaged carton and interior of the packaging for inspection. These will be required when filing the claim.

4. Do not remove product from delivered destination, if so please inform ERGOBOND of the reason and do not move until approved.

FOR LOSSES OR INCOMPLETE DELIVERY

1. Be sure the loss or missing item notations are made in the receipt and have the driver and reception person sign.

2. Contact ERGOBOND immediately

After a thorough investigation of the claim, ERGOBOND will contact you and provide guidance in corresponding with the carrier.

Please do not return the merchandise. They will not be accepted by ERGOBOND unless specifically authorized by ERGOBOND.

DELIVERY METHOD

Commercial Delivery Dock to Dock

ERGObOND provides complementary commercial drop with any minimum order. All commercial drop includes panelized packaging for easy transportation.

ERGObOND reserves the right to choose the transportation methods unless otherwise required by the customer, if approved it might require additional charges.

SPECIAL DELIVERY

All other requirements not stated on this term is considered special delivery requirement and will have an additional charge. Please contact ERGOBOND for more information.

Product Information

PRODUCT DRAWINGS

ERGObOND may provide standard or customized drawings upon request as advice. This service is free of charge, and ERGOBOND makes no representations on warranty or accuracy. It is the buyer's sole responsibility and liability for the use and/or installation of all items purchased. The buyer bears all responsibility for ensuring that the products meet the buyer's needs, expectations, and is suitable for the buyer's intended use. ERGOBOND is not responsible for the buyer's inaccurate design or furnishing of incorrect information.

PRODUCT NON-OBSOLESCENCE POLICY

ERGObOND reserves the right to make changes in product design, or detail, and to discontinue any product or material without notice. ERGOBOND will make good faith effort to maintain product compatibility within various generations of product platforms.

CUSTOM ITEMS

Custom items cannot be canceled or returned. Please check carefully all the details before confirmation of the orders.

Warranty

ERGOBOND Exclusive Warranty Terms

10 YEAR WARRANTY

Subject to the limitations set forth below; ERGOBOND warrants to the original purchaser all product in this price list to be free from defects in material and workmanship for a 10-year period from the date of shipment. This 10-year warranty applies to all products sold by ERGOBOND and authorized reseller and distributors. ERGOBOND will provide with respective parts replacement and replacement instruction services. Replacement of the defective merchandise might will be at ERGOBOND option, free of charge.

This covers original purchases delivered within the US and Canada.

Exceptions to the 10 Year Warranty:

Height adjustable electrical/ gas spring components

5 years : Gas springs within the manual height adjustable desks on a single shift and 'normal use' after shipment to the original user.

5 years : Motor and electrical components of the electrical height adjustable desks on a single shift and 'normal use' after shipment to the original user.

SEATING

5 years : Seating Mesh. Usage deterioration or damage not covered.

PET

2 years : All PET made parts including decorative panels and parts attached the desks and PET material accessories.

Warranty does not apply to product failure or loss resulting from:

- Normal wear or tear
- Failure to apply, install or maintain products according to published ERGOBOND guidelines and instructions
- Misuse, accidents or abuse
- Exceeding weights limits for all desks, chairs and stools.
- Substitution modification or alteration to the original product.
- The replacement of any unauthorized non-ERGOBOND components as a replacement to original ERGOBOND components; such replacement includes but are not limited to table surfaces, supports, legs, motors, gas springs, buttons, panels and other essential parts of the original product.

Warranty does not cover:

- Products sold by unauthorized resellers or distributors.
- Products used for rental purposes.
- Products that were not installed, used, or maintained under industry standards.
- Products damaged during shipping not managed directly by ERGOBOND.
- Products considered consumables such as batteries, bulbs, gas springs and other parts unless mentioned in the warranty terms.
- Variations in surface materials resulted by differences in original woods, material, weather or usage.
- Some accessories or series have their independent warranty terms and are excluded from this term.

Warranty Provides:

'Defect' means inadequacy in the material or workmanship of the product which:

- Existed at the time the product was delivered by ERGOBOND or by ERGOBOND authorized reseller
- The product is a new product in its original packaging
- It causes inability to use, perform the ordinary use due to material or workmanship failure

'Normal Use' is defined as eight (8) hour days, five (5) days per week) throughout the applicable warranty period and not exceeding the weight limit stated.

The following immediate remedies are offered for defective products or parts:

The following remedies are only offered for products sold by ERGOBOND or an authorized reseller and the products parts/ entity is still under warranty periods.

- Customer Service Call
+1 800-230-9925
from Monday to Friday 10am – 5pm
- Free parts replacements with the shipping covered.
- Clear part replacement instructions.
- Product replacement when necessary at ERGOBOND's option free of charges.

WARRANTY IS THE SOLE REMEDY OFFERED FOR PRODUCT DEFECT UNLESS OTHERWISE STATED OR OFFERED BY RESELLER. THE LIMITED WARRANTY IS NON-TRANSFERABLE AND ONLY VALID FOR ORIGINAL PURCHASERS.



Warranty

Claim Placement

All warranty claims must be made in writing by the original purchaser. A customer service call is also available.

The owner might be required to provide the original invoice or any other evidence to establish that the claim is within the warranty period and that it was originally purchased thru ERGOBOND or an authorized reseller.

It is expressly understood and agreed that the buyer's sole and exclusive remedy for any and all losses or damages resulting from nonconforming goods, or from any other cause, shall be repair or replacement of defective parts, and that ERGOBOND shall not be liable for damages or injury to persons or property, nor for replacement of the entire commercial unit, if repair or replacement of defective parts can reasonably render the unit conforming.

For more information please visit:
www.ergobond.com/warranties

All other warranties, expressed or implied, are excluded. ERGOBOND shall not be liable for incidental or consequential damages of any sort.



Contact Information
sales@ergobond.com
800-230-9925

**Be Bold,
Be Healthy,
Be Better**







**Please Recycle
This Catalog**



ERG
ERGOBOND

www.ergobond.com

ERGOBOND puts an end to all sedentary work style by reimagining your workspace and bonding activeness into your life.